



### Rare Darkness

Sweet Goldy  
MME ID: C067  
Plant, Flower - Cured

Sample: DIGP1805.0586.P.03550

Sampled Date: 05/30/2018 Report Date: 06/04/2018  
METRC Sample: 1A4040300001206000000532  
Batch #: RD-57-R2-T5-0501 Lot #: 0460

## Potency Test Results

### Cannabinoid Test Results



### Terpene Test Results

Analyte	Mass %	Mass mg/g
β-Myrcene	1.89	18.9
β-Caryophyllene	0.55	5.5
Linalool	0.32	3.2
δ-Limonene	0.22	2.2
α-Humulene	0.16	1.6
α-Pinene	0.15	1.5
Ocimene	0.12	1.2
β-Pinene	0.06	0.6
α-Bisabolol	0.05	0.5
trans-Nerolidol	0.04	0.4
Camphene	0.01	0.1
Terpinolene	0.01	0.1
α-Terpinene	<LOQ	<LOQ
Caryophyllene Oxide	<LOQ	<LOQ
δ-3-Carene	ND	ND
Eucalyptol	<LOQ	<LOQ
γ-Terpinene	<LOQ	<LOQ
Geraniol	<LOQ	<LOQ
Guaiol	<LOQ	<LOQ
Isopulegol	<LOQ	<LOQ
p-Cymene	<LOQ	<LOQ
<b>Total</b>	<b>3.58</b>	<b>35.8</b>

Analyte	Mass %	Mass mg/g
THCa	21.91	219.1
Δ9-THC	0.46	4.6
Δ8-THC	0.02	0.2
THCV	NR	NR
CBDa	0.04	0.4
CBD	NR	NR
CBDV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
CBGa	0.51	5.1
CBG	0.22	2.2
CBC	<LOQ	<LOQ
<b>Total</b>	<b>23.17</b>	<b>231.7</b>

Total Potential THC = (THCa \* 0.877) + d9-THC, Total Potential CBD = (CBDa \* 0.877) + CBD  
LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantitation. Terpenoids analyzed per Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A GC Headspace MS.

### Safety & Quality Tests

Visual	Pass	Moisture Content	10.7%
Microbiological	Pass	Water Activity	NT
Heavy Metals	Pass	Residual Solvents	Not Tested
Mycotoxins	Pass	Pesticides	Pass
Gender	Not Tested		

Scan to View Results



### CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508

THC	CBN	CBD
19.68%	<LOQ	0.04%

Powered By



Cindy Orser, PhD  
Lab Director

I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. This product has been tested by Digipath Labs, Inc. using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Uncertainty information is available upon request.



### Rare Darkness

Sweet Goldy  
MME ID: C067  
Plant, Flower - Cured

Sample: DIGP1805.0586.P.03550

Sampled Date: 05/30/2018 Report Date: 06/04/2018  
METRC Sample: 1A4040300001206000000532  
Batch #: RD-57-R2-T5-0501 Lot #: 0460

### Pesticides

Pass

Analyte	Limit	Mass	Status
	PPM	PPM	
Abamectin	0.050	ND	Pass
Acequinocyl	4.000	ND	Pass
Bifenazate	15.000	ND	Pass
Bifenthrin	0.050	ND	Pass
Cyfluthrin	4.000	ND	Pass
Cypermethrin	0.050	ND	Pass
Daminozide	0.050	ND	Pass
Dimethomorph	60.000	ND	Pass
Etoxazole	7.000	ND	Pass
Fenhexamid	30.000	ND	Pass
Flonicamid	7.000	ND	Pass
Fludioxonil	0.020	ND	Pass
Imidacloprid	0.050	ND	Pass
Myclobutanil	4.000	ND	Pass
Pacllobutrazol	0.050	ND	Pass
Piperonyl Butoxide	10.000	ND	Pass
Pyrethrins	1.000	ND	Pass
Quintozene	0.200	ND	Pass
Spinetoram	1.700	ND	Pass
Spinosad	10.000	ND	Pass
Spirotetramat	10.000	ND	Pass
Thiamethoxam	0.020	ND	Pass
Trifloxystrobin	11.000	ND	Pass

ND = Not Detected; NR = Not Reported; NT = Not Tested; Tested Pesticides: Nevada Division of Public and Behavioral Health Monitoring List for Pest Control Substances. Pesticides analyzed using SOP-319 on an Agilent 6420 LC QQQ and SOP-318 on an Agilent 7890B/5977B GC-FID-MS.

### Heavy Metals

Pass

Analyte	Limit	Units	Status
	PPB	PPB	
Arsenic	2000	19	Pass
Cadmium	820	2	Pass
Lead	1200	7	Pass
Mercury	400	8	Pass

ND = Not Detected; LOQ = Limit of Quantitation; Tested Metals: Lead, Cadmium, Mercury, Arsenic. Heavy Metals analyzed per Digipath Labs SOP-321 using an Agilent 7700 ICP-MS.

### Microbials

Pass

Analyte	Limit	Units	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Bile-Tolerant Gram-Negative Bacteria	1000	<100	Pass
Coliforms	1000	<100	Pass
E. Coli		Negative	Pass
Salmonella		Negative	Pass
Yeast & Mold	10000	<100	Pass

NR = Not Reported; NT = Not Tested; Tested Microbial Endpoints: Total viable aerobic bacteria, total yeast and mold, total coliforms, bile-tolerant gram-negative bacteria, E.coli pathogenic strains, and Salmonella spp. Microbials analyzed per Digipath Labs SOP-350 using a Bio-Rad CFX96 real-time system or SOP-351 using 3M petrifilm plates.

### Mycotoxins

Pass

Analyte	Limit	Mass	Status
	PPB	PPB	
Aflatoxins	20.00	ND	Pass
Ochratoxin A	20.00	2.61	Pass

ND = Not Detected; LOQ = Limit of Quantitation; Tested Mycotoxins: aflatoxin B1, aflatoxin B2, aflatoxin G1, aflatoxin G2, and Ochratoxin. Mycotoxins analyzed per Digipath Labs SOP-353 using a PE Victor X3 Plate Reader.

### Solvents

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantitation. Solvents analyzed per Digipath Labs SOP-320 on an Agilent 7697A/7890B/5977A GC Headspace MS.

Powered By



Cindy Orser, PhD  
Lab Director

I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. This product has been tested by Digipath Labs, Inc. using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Uncertainty information is available upon request.